

Sarcoptic Scabies Disease and Treatment Methods

Pulatov Boburbek Talyat Ugli

Andijan State Medical Institute

Assistant of the Department of Dermatovenerology

Abstract: Scabies, caused by the *Sarcoptes scabiei* mite, is a highly contagious skin infestation that affects millions of people worldwide. It is characterized by intense itching, redness, and the presence of burrow tracks on the skin. Effective treatment methods are essential to alleviate symptoms and eradicate the mite infestation. This article discusses the disease and various treatment options available.

Keywords: signs, symptoms, treatment, preventions, characteristics, effects

Introduction: A mite motives this frequent pores and skin condition. Called the human itch mite, this eight-legged malicious program is so small that you can't see it on the skin. People get scabies when the mite burrows into the pinnacle layer of pores and skin to stay and feed. When the pores and skin reacts to the mite, an extraordinarily itchy rash develops.

This mite can tour from the contaminated character to some other person. Most humans get scabies from direct, skin-to-skin contact. Less often, humans choose up mites from infested gadgets such as bedding, clothes, and furniture. The mite can live to tell the tale for about three to 4 days except being on a human. Worldwide, there are tens of millions of instances of scabies every year.

Anyone can get scabies. It strikes humans of all ages, races, and profits levels. People who are very easy and neat can get scabies. It tends to unfold without problems in nursing properties and extended-care facilities. The desirable information is that a dermatologist can effectively diagnose and deal with scabies. With today's treatments, scabies want only purpose non permanent distress

After the mite burrows into the skin, it takes time to strengthen signs and symptoms and symptoms. If you've got had scabies before, the itching normally starts offevolved inside one to 4 days. When a character has no longer had scabies, the physique desires time to improve a response to the mite. It can take two to six weeks to increase symptoms

Signs and signs of scabies include:

Itching, basically at night: Itching is the most frequent symptom. The itch can be so excessive that it maintains a character conscious at night.

Rash: Many humans get the scabies rash. This rash motives little bumps that frequently structure a line. The bumps can seem to be like hives, tiny bites, knots beneath the skin, or pimples.

Some humans enhance scaly patches that seem like eczema. Sores: Scratching the itchy rash can purpose sores. An contamination can enhance in the sores.

Thick crusts on the skin: Crusts structure when a man or woman develops a extreme kind of scabies known as crusted scabies. Another identify for crusted scabies is Norwegian scabies. With so many mites burrowing in the skin, the rash and itch turn out to be severe. You'll locate greater data about crusted scabies below.

The extreme itch can lead to regular scratching. With continuous scratching, an contamination can develop. Non-stop scratching can even lead to sepsis, a once in a while life-threatening situation that develops when the contamination enters the blood.

Scabies can improve somewhere on the skin. The mites, however, select to burrow in positive components of the body. The most frequent locations to have itching and a rash are:

Hands: Mites like to burrow in the pores and skin between the fingers and round the nails.

Arms: Mites like the elbows and wrists.

Skin typically protected with the aid of garb or jewelry: The buttocks, belt line, penis, and pores and skin round the nipples are probably locations for mites to burrow. Mites additionally like to burrow in pores and skin included by way of a bracelet, watchband, or ring. Some kids boost considerable scabies. The scabies rash can cowl most of the body. Even a child's palms, soles, and scalp can be infested with mites.

In babies, the rash regularly seems on the hands and soles. Babies who have scabies are very irritable and regularly do no longer prefer to consume or sleep. Children, too, are regularly very irritable. The itch can maintain them unsleeping at night.

Crusted scabies

Also known as Norwegian scabies, crusted scabies is an extreme structure of scabies. People who have crusted scabies have 100s or even 1,000s of mites in their skin. By comparison, most humans who get scabies have 15 to 20 mites on their skin.

Crusted scabies develops in humans who have a susceptible immune device due to a clinical condition, the elderly, and human beings who are dwelling in institutions. Crusted scabies develops when the person's physique can't advance any resistance to the mites. Without resistance, the mites rapidly multiply.

A frequent signal of crusted scabies is sizeable crusts on the skin. These crusts have a tendency to be thick, disintegrate without problems when touched, and seem to be grayish in color. Sometimes the crusts show up on one or a few areas of the physique such as the scalp, back, or feet.

Anyone can get scabies. Because skin-to-skin contact is the most frequent way to get scabies, the following human beings are specifically susceptible:

Children

Mothers of younger children

Sexually lively younger adults

Residents of nursing homes, assisted-living residences, and extended-care facilities

Hospitalized patients

Having a weakened immune machine additionally will increase the hazard of getting scabies. The aged and human beings who have a vulnerable immune gadget due to disorder such as HIV/AIDS, lymphoma, or leukemia have an accelerated risk. People who obtained an organ transplant additionally have a greater risk.

Crusted scabies is particularly contagious. A crust crammed with mites can fall off. This shed crust can grant meals and safety for the mites, permitting them to stay for as lengthy as one week besides human contact.

Scabies amongst human beings in nursing properties and extended-care amenities has end up a frequent hassle in the United States. The residents frequently want assist with day by day tasks, so there is common skin-to-skin contact. Scabies can unfold to nursing staff. The group of workers can then unfold scabies to different residents. This can manifest quickly.

A dermatologist can often diagnose scabies by means of way of visually inspecting a patient's pores and skin from head to toe. To make certain that a affected person has scabies, a dermatologist may additionally do away with some skin. This is painless. Your dermatologist will put the pores and skin on a glass slide and appear at the slide below a microscope. If your dermatologist sees scabies mites or their eggs, it is positive that you have scabies.

Scabies that covers plenty of the physique and crusted scabies frequently require more advantageous medicine. A affected person with this kind of scabies may additionally get hold of a prescription for ivermectin. This medication can be prescribed to adolescents and sufferers who are HIV-positive. Some sufferers want solely to take one dose, however many want to take two or three doses to treatment scabies. The drugs are commonly taken as soon as each and every two weeks.

When scabies infects many human beings at a nursing home, extended-care facility, and different institution, ivermectin might also be prescribed to everybody who has a threat of catching scabies.

Treatment can get rid of the mites, put off signs such as itch, and deal with an contamination that has developed. For the first few days to a week, the rash and itch can irritate at some point of treatment. Within 4 weeks, your pores and skin need to heal.

If your pores and skin has now not healed inside four weeks, you may additionally nevertheless have mites. Some human beings want to deal with two or three instances to get rid of the mites. Be positive to see your dermatologist for treatment. You must in no way use a scabicide used to deal with vegetation or livestock.

People who advance crusted scabies, additionally recognized as Norwegian scabies, regularly want repeat remedies to get rid of the mites.

To get rid of the mites and stop getting scabies again, you have to do extra than deal with the pores and skin or take a pill. You will want to wash clothes, bedding, and towels to get rid of mites that may additionally have fallen off your skin. You additionally ought to vacuum your complete home.

Scabies can unfold when humans do no longer have any symptoms or symptoms. A character who has by no means had scabies frequently does no longer have any signs and symptoms or signs and symptoms for two to six weeks

Conclusion

Scabies is a common, fairly contagious pores and skin infestation brought about via the *Sarcoptes scabiei* mite. Early prognosis and remedy are imperative to stop transmission and reduce discomfort. Topical and oral medications, alongside with domestic treatments and environmental measures, make contributions to tremendous remedy and eradication of scabies. By following these methods, folks can relieve signs and symptoms and enhance their ordinary well-being. Remember to seek advice from a healthcare expert for appropriate analysis and practise on the nice path of treatment

References:

1. Chosidow O. "Clinical practices. Scabies." *N Engl J Med* 2006; 354: 1718-27.
2. Habif, Campbell, Chapman, *et al.* In: *Dermatology DDxDeck*. 2006. China. Mosby Elsevier. Card : "Scabies."
3. Jacobson CC, Abel EA. "Parasitic infestations." *J Am Acad Dermatol* 2007; 56: 1026-43.
4. Steen CJ, Carbonaro PA, Schwartz RA. "Arthropods in dermatology." *J Am Acad Dermatol* 2004; 50: 819 42, quiz 42-4.
5. Stone SP, Goldfarb JN, *et al.* "Scabies, other mites, and pediculosis." In: Wolff K, Goldsmith LA, *et al.* *Fitzpatrick's Dermatology in General Medicine* (seventh edition). McGraw Hill Medical, New York, 2008:2019-2032.